Paper ID Number 178

14TH ICCRTS

C2 and Agility

TNT Testbed for Self-Organizing Tactical Networking and Collaboration

Track 2: Network and Networking

Dr. Alex Bordetsky

Center for Network Innovation and Experimentation

Naval Postgraduate School

abordets@nps.edu

Dr. David Netzer

USSOCOM-NPS Field Experimentation Cooperative

Naval Postgraduate School

dnetzer@nps.edu

Report Documentation Page

Form Approved
OMB No. 0704-0188

1. REPORT DATE	2. REPORT TYPE	3. DATES COVERED
JUN 2009		**00-00-2009 to 00-00-2009**

4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER
TNT Testbed for Self-Organizing Tactical Networking and Collaboration	5b. GRANT NUMBER
	5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **Naval Postgraduate School,Center for Network Innovation and Experimentation,1 University Circle,Monterey,CA,93943**	8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
	11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release; distribution unlimited

13. SUPPLEMENTARY NOTES
In Proceedings of the 14th International Command and Control Research and Technology Symposium (ICCRTS) was held Jun 15-17, 2009, in Washington, DC

14. ABSTRACT

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT **unclassified**	b. ABSTRACT **unclassified**	c. THIS PAGE **unclassified**	**Same as Report (SAR)**	**63**	

Introduction

Beginning in 2002, a team of Naval Postgraduate School researchers together with sponsors from USSOCOM, and later joined by the OSD and DHS S&T Programs, started a new campaign of discovery and constraints analysis experiments (Alberts and Hayes, 2007), which is now collectively known as Tactical Network Topology (TNT) Experiments. This campaign of experimentation, carried out under the USSOCOM-NPS Field Experimentation Cooperative program and OSD/ HLS S&T support unfolds in two major areas.

The first one involves quarterly field experiments with USSOCOM, in which NPS researchers and students as well as participants from other universities, government organizations, and industry investigate various topics related to tactical networking with sensors and unmanned aerial systems (UAS) as well collaboration between geographically distributed units with focus on high value target (HVT) tracking and surveillance missions. The TNT experimentation process with USSOCOM is focused on both technologies associated with networking and the human aspects of networked forms of organization. Technologies investigated have included network-controlled UASs, various forms of multiplatform wireless networking, mesh networked tactical vehicles, deployable operations centers, collaborative technologies, situational awareness systems, multi-agent architectures, and management of sensor-unmanned vehicle-decision maker self-organizing environments.

The second direction involves Maritime Interdiction Operation (MIO) experiments with Lawrence Livermore National Laboratory, USCG, First Responders (San Francisco Bay, New York/New Jersey) supported by HLD and HLS S&T Programs and DoE agencies. These experiments are conducted twice a year and are also supported by the overseas partners from Sweden, Germany, Denmark, and Singapore.

In all of these experiments, the focus has been on both adapting both emerging and commercially available technologies to military requirements and on investigating new social networking/collaboration elements associated with the addition of such technologies to the battlespace and maritime security operational scenarios.

In the core of TNT HVT and MIO experimentation is a unique testbed, which enables sustainability and evolution of the TNT experimentation campaign. It is based on the plug-and-play tacticalon-the-move sensor-unmanned systems networking capabilities combined with global reachback to the remote expert/command sites and augmented by rapid integration applied research services.

The goal for this paper is to describe the architecture of the TNT testbed environment and the potential for its application to studies of emerging self-organizing tactical networks.

1. Tactical Networking Testbed: Man-Machine Plug-and-Play Systems Enabling Sustainable Experimentation

Each quarter, the growing team of NPS researchers, USSOCOM operators, and commercial/academic partners get together on the grounds of Camp Roberts, California to explore synergy and impact of emerging sensor-unmanned systems-decision maker self-forming networks on to the HVT and ISR missions. Figures 1a and 1b illustrates the state of the experimentation team during FY2008.



Figure 1a. TNT Academic Participants for FY08



Figure 1b. TNT Testbed Federal, Local, and Foreign Participants in 2008

The TNT experiment members plug-in their sensors, networks, UASs, aerial balloons, ground vehicles, situational awareness systems, and operator units into the TNT testbed comprised of segments and layers.

These field experiments are then connected back to the Network Operations Center (NOC) at NPS via an 802.16 network link. All the network infrastructure involved is operated and maintained by students and is, itself, often the subject of some experimental activity. High-level network views of a few of these sites are given in Figures 2 and 3.



Figure 2. Plug-and-Play Testbed with Global Reachback: Camp Roberts segment with reachback to East Coast Centers

Figure 2 shows the fixed wireless 802.16 backbone connecting NPS with Camp Roberts. It reflects the complexity of the TNT network setup. The Light Reconnaissance Vehicle (LRV) in Fig. 3 is a mobile OFDM[1] node. Also visible are a number of remote field locations that have been used in past experiments. In addition to the locations at Camp Roberts and NPS, various remote sites are connected to the TNT infrastructure via an ever-changing set of Virtual Private Network (VPN) tunnels on top of satellite links or commercial IP cloud. As such, a large portion of each experiment is concerned with the collaboration and coordination necessary to integrate the large number of sites and interested parties into the ongoing activities.

For example, the Biometrics Fusion Center (BFC), located in West Virginia, has been a member of many of our experiments. They are concerned with our research as a way of connecting remote, tactical field users to biometrics databases removed from the battlefield. In this manner, field agents looking for suspected terrorists can take sensors (fingerprint, facial recognition, etc.) directly to the area of interest while drawing on the full (and likely updated) databases provided by the BFC. Conversely, information gained in the field can be immediately made available to analysts back at headquarters or located in other locations around the world. Figures 3 and 4 illustrate the self-forming mesh segments of TNT testbed at work with the UAS systems and different applications.

[1] Orthogonal Frequency Division Multiplexing — this is the technology that underlies 802.16.



Figure 3. Typical self-forming mobile mesh segments of TNT testbed

Figure 4. Tactical applications enabled by self-forming segments of TNT testbed

The other part of the TNT experimentation not occurring at Camp Roberts is focused specifically on the Maritime Interdiction Operations (MIO), usually centered in the San Francisco Bay area with multiple support sites within the CONUS and overseas. However, it is not always the case. The last TNT MIO 08-4 was actually centered in Port Authority New York New Jersey (PANYNJ) area of Homeland Security activities with riverine operations component of the MIO scenario executed in Hampton Roads/Ft. Eustis area. The network infrastructure that supports the MIO segments of the TNT testbed are described in Figure 5.



Figure 5. Plug-and-Play TNT MIO Testbed Segment: SF Bay, East Coast and Overseas

This series of experiments is being conducted to test the technical and operational challenges of searching large cargo vessels and interdicting small craft possessing nuclear radiation threat. One goal is to test the applicability of using a wireless network for data sharing during a MIO scenario to facilitate “reach back” to experts for radiation source analysis and biometric data analysis. This technology is being tested and refined to provide networking solutions for MIOs where subject matter experts at geographically distributed command centers collaborate with a boarding party in near real time to facilitate situational understanding and course of action selection. With the use of collaborative technologies and adaptive ad-hoc networking, TNT-MIO experiments have shown the ability to return a positive match within 4 minutes of

collecting nuclear radiation and biometric data (Bordetsky, Dougan, Foo, and Kihlberg, 2006). While this is under somewhat controlled experimental conditions, results even within an order of magnitude of this time allow the boarding party to take action while they are still on board the suspect vessel and long before the suspect can evade. Figure 6 illustrates MIO Testbed in action supporting simultaneous interdiction of target vessels in open waters, inner bay, and riverine and with an immediate reachback to expert sites and multipoint video/data exchange between the boarding parties.



Figure 6. Simultaneous interdiction and data sharing between boarding parties conducted in three geographically distributed locations.

Each MIO experiment appears to be a significant next step forward in evaluating the use of networks, advanced sensors, and collaborative technology for rapid MIO response, including the ability to search for radiation sources, set up ship-to-ship and ship-to-shore communications while maintaining network connectivity with command and control (C2) organizations and collaborating with experts on the radiological and biometrics identification threat.

For example, the specific goal for the MIO 08-4 experiment was to explore new sensor, networking, and situational awareness solutions for interdicting, searching, tagging, and monitoring a large vessel as well as small craft, threatening the security of the coastal metropolitan areas on the scale of the radiological threat in the Port of NY and NJ and subsequent events in the riverine area of Hampton Roads, VA.

The situational awareness focus of the experiment was to explore the requirements for broad interagency collaboration and data sharing using the capabilities

of PANYNJ JSAS, JAC feedback, and two-way data sharing with the Riverine Area of operation.

Figures 7, 8, and 9 illustrate the TNT MIO testbed in action during the MIO 08-4 search of the large cargo vessel in the Port of Newark and high-speed Riverine chase nearby Ft. Eustis.



Figure 7. TNT MIO Testbed in action providing on-the-move network to multiple boarding parties searching a large cargo ship and reachback to PANYNJ EOC and DoE expert centers.



Figure 8. Simultaneous small craft search in Port of Newark, Sweden, and Denmark and data sharing operations.



Figure 9. MIO testbed mesh segment in action supporting the video exchange during the high-speed riverine chase of the target vessel.

2. Testbed Service Architecture: An Interface System for Field Experimentation

From the Systems Theory standpoint the TNT testbed represents a unique research service of social and information networking. It provides for the adaptation and integration processes between people, networks, sensors, and unmanned systems. For a few days of intense experimentation the TNT testbed military, academic, and vendor users become a community of ***tactizens*** engaged in rapid system design processes, which produce new forms of synergy in the TNT cyberspace of man and tactical machinery. The new term of *tactizens* is our reflection on *Second Life* metaphor of *netizens* (Sectliffe, 2009).

The testbed enables several layers for integrating models, tools, and experimentation procedures:

-The TNT *tactizens* can integrate their sensors and mesh networking elements in the unclassified but closed IP space of the TNT testbed by getting fixed IPv4 and lately IPv6 addresses. Figure 10 illustrates the online portal enabling rapid integration of experimental assets in TNT testbed IP space,

- Users can connect their remote local area network, including command and operation centers, via the virtual private network (VPN) client on top satellite or commercial IP cloud services,

-Sensors and unmanned vehicles can be integrated with the TNT Situational Awareness Environment via the applications layer interoperability interface. The current option includes Cursor-on-Target (CoT) integration channel, initially developed at MITRE (Miller, 2004), comprised of the CoT message router and CoT XML adapters for each node needed to be integrated (Figure 11). In the very near future we will consider adding the Common Alert Protocol (CAP), which is becoming widely used by the DHS community,

- Human operators (both remote and local) can access the testbed collaborative environment via the collaborative portal or peer-to-peer collaborative clients, situational awareness agents, video conferencing room (Fig.12), and video client. This is human layer interface to the testbed.

- At the physical level the testbed reaches to even lower levels (like multiple mesh network enabled unmanned systems) which permit researchers to experiment with such things as airborne sensors and cooperative control (Fig. 13) without having to be concerned about network connectivity.

By accessing testbed at different levels, varying from application to physical, the TNT testbed users could have unique capability of exploring possible adaption patterns, i.e. management of their resources by experimenting with applications load or physically moving and re-aligning their assets. Figure 14 represents the TNT testbed adaptive management interface.



Figure 10. Plugging IP assets in the TNT Testbed: IP Space Portal (*Designed by Eugene Bourakov*)



Figure 11. Applications Layer Testbed Interface via the CoT channel (*Diagram provided by Michael Clement*)



Figure 12. Operator interface: video clients and SA View in the Riverine Operations



Figure 13. Mesh network interface enabling cooperative control of UAV and UGV (*Diagram provided by Michael Clement)*



Figure 14. Layers of Adaptation in TNT Testbed

3. Field Model for Exploring Tactical Networking and Collaboration Frontier

From the scholarly stand point the TNT testbed represents a unique field model of emerging complex relationships between man and machine in the tactical networking and collaboration frontier. Exploring feasibility and major operational constraints associated with those relationships allows the TNT experimentation team to identify critical elements of tactical networking and collaboration frontier. Tables 1 and 2 illustrate several examples of these findings.

Table 1. Shaping Tactical Networking Frontier

	Self-forming agile adaptive networks	**Unmanned systems-sensor-decision maker cooperative networks:**	**Through-the-wall N-LOS Networking**
Self-Organizing Mesh Wireless Networks	TNT Reports from 2005-2008		
Network and SA controlled UAVs, USVs, UGVs: Unmanned vehicle is controlled by submitting the way points via tactical N-LOS mesh network		An ongoing study with Bourakov, Clement, Jones, Dobrokhodov, Kaminer (Clement, et.al., 2009) and (Jones, et. Al., 2009)	
Network-on-Target: Peer-to-peer links configured from the top of Common Operational Picture interface, self-aligning directional antennas	(Bordetsky & Bourakov,2006)		
Hyper-Nodes with 8th Layer: Tactical Self-Forming nodes as miniature network operations centers	(Bordetsky & Hayes-Roth, 2007)		
DMs as sensors to unmanned systems: Operators decision space MIB available to the unmanned system agents	First results accomplished in the thesis project of LCDR James Gateau**, (**Gateau &Bordetsky, 2008)		
Networking-by-touch: transmitting data via highly adaptive human network by using physical or electronic touch	First results accomplished in thesis of Rideout & Strickland (NPS), continuing research with Bourakov (NPS) Elman (MIT), and Lindeman (WPI): (Rideout and		

	Strickland, 2007), (TNT 08-2 QLR), (TNT 08-4 QLR)		
GPS denial navigation		An ongoing study since 2007 with Bourakov and MIT team (TNT 07-4 QLR, 2007), (TNT 08-2,QLR 2008)	
Ultra Wideband (UWB) Mesh networking: Integrating the UWB link into the peer-to-peer wireless mesh network			An ongoing study with Bourakov (NPS), Win and Weymereesh (MIT) (TNT 08-4 QLR 2008)
Projectile-based Networking		TNT MIO 07-4 After Action Report, 2007	
Small Distributed Unit Private Tactical Satellite Network	Study started in 2007, first results accomplished in thesis project of MAJ Conrad and LCDR Tzanos (Conrad and Tzanos, 2008)		
Small Distributed Unit Private Tactical Cellular Network		Study with Bourakov started in 2008 (TNT 08-4 QLR, 2008)	

Table 2: Shaping Collaboration Frontier:

	Collaborative networks for rapid interagency data sharing and expert response	**Synergy of social and information networking**
MIO Collaboration: Bringing the remote expert advice to an immediate support of the boarding officers	An ongoing research with Dougan & Dunlop (LLNL), Bourakov, Hutchins, Looney, Clement , Vega , Hudgens, Bergin-NPS; Friman (Swedish Defence Research Agency), Pickl (University of Bundeswehr)): (Bordetsky et al, 2006), (Hutchins, et.al., 2006), (Bordetsky & Friman, 2007), (Bordetsky & Hutchins, 2008),	With Hudgens, Vega, Koons, Bergin, Bekatoros: (Hudgens and Bordetsky, 2008), (TNT MIO 08-4 Report)
SA and Collaborative platforms interoperability: Propagating alerts between NPS SA tools, Port Authority NY-NJ (PANYNJ) Joint Situational Awareness System (JSAS)	First results accomplished with Bourakov and Clement (NPS), Reimers (BAE), Poulsen and Cooper (PANYNJ), Lindt (Kokums, Sweden), Hoy-Petersen and Nielsen (Systematik, Denmark): (TNT MIO 08-2 Report, 2008), (TNT MIO 08-4, Report, 2008)	
Collaboration with Coalitions partners		SNWC BFT-NPS SA-JSAS (with Hansson & Lindt (Sweden) - Danish MBS-NPS SA-JSAS (with Hoy-Petersen, Nielsen, and Riderring-Systematik, Denmark)

4. Conclusion: Enabling Business Process of Synergy Development

On top the TNT testbed interfaces there is unique business process, which allows participants to explore synergy of their solution. Quarterly experiments, supported by student and faculty experimentation services, allow the *tactizens (*vendors, academic, and other government partners) to rapidly adapt their solutions to the TNT environment and provide a unique collaborative environment in which the innovation of participants often results in additional unscheduled experimentation using combined technologies. The shortest adaptation cycle is 3-4 days of rapid team design during the TNT experiment. The next level cycle includes 8-10 weeks of research projects delivering feasibility or constraints analysis experiments. The

longer adaptation term is in conjunction with dedicated student thesis project (about 6 months).

Industrial Participation		
Adaptive Flight	I-C Mobilisa	Remote Reality
AGI	iGov Technnologies	Restech
Amrel	ImSAR	Retica
AOptix	IST-Textron	Sarnoff
Applied Signal Technology	L-3 Com	Space Data Corp.
BAE Systems	LMCO	Step Labs
Blackbird Technologies	McLane Adv. Technologies	Strategic Initiatives
CDI	Metson Marine	Swe-Dish
CHI	Mission Technologies	Toyon Research
Commsfirst	Mitre	Trident Tech. Solutions
CrossMatch	Networx	TrellisWare
DRS	NGC	Triggerfinger
ESRI	Orion Networking	WinTech Arrowmaker
Extreme Endeavors	P&LE	XTAR
General Dynamics	Persistent Systems	
Harris RF Comms	Procerus	
Honeywell	QinetiQ	
Hoyos	Redline Communications	

Figure 15. TNT Testbed Industrial Users in 2008 Exepriments

To the business community supporting the experiments (Figure 15), the TNT testbed with it's research services and interfaces, which enable discovery and constraints analysis for frequently immature and disintegrated prototypes, provides a unique incubation path to the market of emerging tactical operations.

References

Alberts, D. and Hayes R. (2007). *Planning: Complex Endeavors*, Washington: CCRP Publication Series

Bordetsky, A., Dougan, A., Foo Yu, C. and Kihlberg, A. (2006). TNT maritime interdiction operation experiments: enabling radiation awareness and geographically distributed collaboration for network-centric maritime interdiction operations, *Defense Technology and Systems Symposium*, 5-8 December, Singapore.

Bordetsky A., and Bourakov, E. (2006). *Network on Target: Remotely Configured Adaptive Tactical Network,* In Proceedings of the 10th Command and Control Research & Technology Symposium, San Diego, CA

Bordetsky, A., Bourakov, E., Looney, J., Hutchins, S. G., Dougan, A. D., Dunlop, W., Nekoogar, F., and Lawrence, C. R. (2006). Network-Centric Maritime Radiation Awareness and Interdiction Experiments. In: *Proceedings of the 11th International Command and Control Research & Technology Symposium*, Cambridge, UK.

Bordetsky, A. and Friman, H. (2007). Case-Studies of Decision Support Models for Collaboration in Tactical Mobile Environments. In: *Proceedings of 12th International Command and Control Research & Technology Symposium,* Newport, VA.

Bordetsky, A. and Hutchins, S. (2008). Plug-and-Play Testbed for Collaboration in the Global Information Grid. In: M. Letsky, N. Warner, S. Fiore, C. Smith, (Eds.) *Macrocognition in Teams.* Ashgate

Bordetsky, A. and Dougan, A. (2008). Networking and Collaboration on Maritime-sourced Nuclear Threats, *In:Online Proceedings of Sixth Security Workshop,* Washington, D.C.

Bourakov, E. and Bordetsky, A. (2009). Voice-on-Target: A New Approach to Tactical Networking and Unmanned Systems Control via the Voice Interface to the SA Environment, In*: Proceedings of 14th International Command and Control Research & Technology Symposium,* Washington, D.C.

Clement, M., Bourakov, E., Jones, K., Dobrokhodov, V (2009). Exploring Network-Centric Information Architectures for Unmanned Systems Control and Data Dissemination. In : *Proceedings of the 2009 AIAA Infotech@Aerospace Conference,* April 6-9, Seattle, WA

Creigh, R., Dash, R., and Rideout, B. (2006) Collaborative Technologies for Maritime Interdiction Operations Analysis. *Midterm Project Report for IS 4188 Class (Professor, Alex Bordetsky*) Naval Postgraduate School

Conrad, B. and Tzanos, I. (2008). A Conceptual Framework for Tactical Private Satellite Networks, *Master Thesis, (Advisor: Dr. Alex Bordetsky)*, Naval Postgraduate School

Gateau, J. and Bordetsky, A. (2008). Extending Simple Network Management Protocol (SNMP) Beyond Network Management: A MIB Architecture for Network-Centric Services. In*: Proceedings of 13th International Command and Control Research & Technology Symposium,* Seattle

Hutchins, S. G., Bordetsky, A., Kendall, A., Looney, J., and Bourakov, E. (2006). Validating a Model of Team Collaboration. In: *Proceedings of the 11th International Command and Control Research & Technology Symposium*, Cambridge, UK. September 26-28, 2006.

Hudgens, B. and Bordetsky, A. Feedback Models for Collaboration and Trust in Crisis Response Networks (2008-Nominated for Best Student Paper), In*: Proceedings of 13th International Command and Control Research & Technology Symposium,* Seattle

Jones,K. Dobrokhodov,V., Kaminer, I., Lee, D., Bourakov, E., Clement, M. (2009). Development, System Integration and Flight Testing of a High-Resolution Imaging System for Small UAS. In: *Proceedings of the 47th AIAA Aerospace Sciences Meeting,* January 5-8, Orlando, Florida

Miller, W. (2004) Cursor-on-Target, *Military Information Technology Online*, Vol. 8, No. 7

Rideout, B. and Strickland, J. (2007). Military Application of Networking by Touch in Collaborative Planning and Tactical Environments, *Master Thesis, (Advisor: Dr. Alex Bordetsky)*, Naval Postgraduate School

Satcliffe, R. (2009). Web 3.0: Are We There Yet? *The Next Wave,* NSA Review of Emerging Technologies, Vol. 17, No 3

TNT 08-2 QLR, Quick Lookup Report. (2008): http://cenetix.nps.edu , Naval Postgraduate School, Monterey, CA

TNT 08-4 QLR, Quick Lookup Report. (2008): http://cenetix.nps.edu , Naval Postgraduate School, Monterey, CA

TNT MIO 08-2 After Action Report (2008): http://cenetix.nps.edu , Naval Postgraduate School, Monterey, CA

TNT MIO 08-4 After Action Report (2008): http://cenetix.nps.edu , Naval Postgraduate School, Monterey, CA

TNT Testbed for Self-Organizing Tactical Networking and Collaboration

Dr. Alex Bordetsky, Dr. David Netzer

Center for Network Innovation and Experimentation
USSOCOM-NPS Experimentation Cooperative
Naval Postgraduate School, Monterey CA

14-th ICCRTS, C2 and Agility
Washington DC, Wednesday, June 17-th 2009

Motivation

•Beginning in 2002, a team of Naval Postgraduate School researchers together with sponsors from USSOCOM, and later joined by the OSD and DHS S&T Programs, started a new campaign of discovery and constraints analysis experiments (Alberts and Hayes, 2007), which is now collectively known as Tactical Network Topology (TNT) Experiments.

•The first one involves quarterly field experiments with USSOCOM, in which NPS researchers and students as well as participants from other universities, government organizations, and industry investigate various topics related to tactical networking with sensors and unmanned aerial systems (UAS) as well collaboration between geographically distributed units with focus on high value target (HVT) tracking and surveillance missions.

•The second direction involves Maritime Interdiction Operation (MIO) experiments with Lawrence Livermore National Laboratory, USCG, First Responders (San Francisco Bay, New York/New Jersey) supported by HLD and HLS S&T Programs and DoE agencies. These experiments are conducted twice a year and are also supported by the overseas partners from Sweden, Germany, Denmark, and Singapore.

Outline

- Tactical Networking Testbed: Man-Machine Plug-and-Play Systems Enabling Sustainable Experimentation
- TNT Tactizens: An Experimentation Community led by NPS, SOCOM, LLNL, supported by DoD, DHS, DoE, academic, local governments, corporate, and foreign partners
- Plug-and-Play ISR/HVT Testbed with Global Reachback: Camp Roberts segment with reachback to East Coast Centers
- Plug-and-Play TNT MIO Testbed Segment: SF Bay, East Coast and Overseas
- Testbed Service Architecture: An Interface System for Field Experimentation
- Field Model for Exploring Tactical Networking and Collaboration Frontier
- Conclusion: Enabling Business Process of Synergy Development

USSOCOM – NPS Field Experimentation Cooperative: TNT Testbed Community of Tactizens

Large Interdisciplinary NPS Team

FY08: 27 Thesis Students

31 Faculty

Includes 21 PhD, 4 PhD Students

Course Projects: IS, OR, DA, MET

9 Departments and Institutes

Programs Utilizing TNT Testbed

DARPA HURT ACTD

DARPA MAV ACTD

USSOCOM Global Reach ACTD

AFRL JASMAD

MCWL Distributed Operations

OSD/HD MDA

Participating Universities

Virginia Tech	Case
University of Florida	MIIS
WVUF	NDU
Nat. Univ. Singapore/DSTA	MIT
Swedish Naval Warfare Ctr	
Univ. of Bundeswehr	Salzburg Research

Foreign Country Participation in MIO

Austria	Germany	Singapore	Sweden
Australia (08)	Canada (08)	Denmark (08)	UK (08)

Broad DoD and Gov't. Participation and Support

- **USSOCOM**
- **USASOC**
- **AFSOC**
- **NAVSOC**
- **JSOC**

Participating DoD and U.S. Gov't.

AFRL	BFC
DARPA	DTRA
LLNL	MARAD
NSA NTIO	NRL
ONR	ONR 113
SPAWAR	USCG/D-11
ARL	OSD/HD
OSD-RRTO	STL
USASMDC	JHU APL
USMC-MCTSSA	NIST
NSWC-Dahlgren	NAWC- CL
TSWG	

Industrial Support

WinTec	Orion Networking
AGI	CHI Systems
Inter-4/SNC	Orion Networking
Redline Communications	Trident Systems
Lockheed Martin	Cross Match
Mission Technologies	Retica
Honeywell	XTAR
Mitre	DRS
Space Data Corporation	Procerus
AOptix	CDI
Chang Industries	L-3 Comm
SCAN Pacific Northwest	Insitu
General Dynamics	

State and Local Government

Alameda County Sheriff's Office

Oakland Police Dept.

San Francisco Police Dept.

NY-NJ Port Authority Emer. Off.

Calif. Office of Emerg. Services

U.S. Park Police

National Guard

West Virginia – Camp Dawson

Indiana – Camp Atterbury

California (08)

TNT 05-1, Nov 2004

MESH Topology



Ft. Bragg

Tampa

HHMWV Cameral Control

Reach-back

Internet

NOC NPS

7 Videos + SA

TOC CR

Network aware air mesh nodes

Video

Camera GPS Tracker SA

Self forming/ healing

802.11b MESH

Network camera, Rajant Breadcrumb and 802.11b

A-170 Airship

Tethered Balloons: Network camera,Pelco, small laptop, Freewave, GPS, 6 hr batteries

TNT 05-2 Feb 05

Improved Camp Roberts TOC

Cypress Sea Approaching USCGC HAWKSBILL – Radiation Detection

Surrogate Light Reconnaissance Vehicle

VC-6 with TERN UAVs

TERN Network Payload

Balloon Payload

TNT 05-2 Feb 05

NA Sea Nodes

Cypress Sea Support Boat

Cypress Sea NOC

Pelican 802.16/ OFDM Payload

ARIES AUV

SA for Cypress Sea, Pelican, Pelican Video



Resolution Target for EO Performance Prediction

NAVBOARD

TNT 05-2 Feb 05

Above and Below Water Situational Awareness for Combat Diver

NPS NOC

802.16/OFDM VoIP

Surrogate UAV

GPS

NA enables seamless SA

Shore Image

802.11b or Mesh

ARIES AUV

Cypress Sea with SA

Mine Location and Image

NAVBOARD

TNT Testbed: Plug-and-Play Interface System for Field Experimentation

- TNT testbed represents a unique research service of social and information networking.
- Testbed provides for the adaptation and integration processes between people, networks, sensors, and unmanned systems.
- For a few days of intense experimentation the TNT testbed military, academic, and vendor users become a community of ***tactizens*** engaged in rapid **system design processes**, which produce new forms of synergy in the TNT cyberspace of man and tactical machinery.
- The new term of *tactizens* is our reflection on *Second Life* metaphor of *netizens* (Sectliffe, 2009).

TNT Testbed

ISR/HVT Operations Segment

Biometrics Task Force, WV

Camp Atterbury, IN

Camp Dawson, WV

VPN / SATCOM

NSWC Dahlgren, VA

NSW Coronado, CA

NAWCWD, China Lake

Santa Barbara County Police and Fire

U.C. Santa Barbara

Ft. Hunter Liggett, USAR

802.16



NPS Beach Lab

NOC- NPS CENETIX



Monterey Bay, Pacific Ocean

~100 mi

Camp Roberts ANG

MIO Extension

NPS/CIRPAS McMillan Field UAS Flight Facility

Typical Self-Forming Mobile Mesh Segments of TNT Testbed

Buster
UAS

802.16

LRV at
Checkpoint

Drive-By Detection of Radiation (with LLNL)

Hilltop relay

Scan
Eagle

GCS

ITT or
Wave
Relay
Mesh

Self-aligning
802.16

MMALV



Optimized UAS
Search Routes

TOC

NPS and/or
Camp Roberts

Swe-Dish and Tachyon

Examples of New Tactical Applications Enabled by TNT Testbed

JHU/APL Fully Autonomous UAS Swarm for Cooperative Search and Tracking



USMC Distributed Operations – Rapid Network Deployment

Light Reconnaissance Vehicle/Mobile TOC at Checkpoint with Biometrics

Individual Identity Friend or Foe Patch

Rapid Biometrics ID: Facial Image Check

UAV-Enhanced Battlefield Medical SA and Tactical Networking – TOC

Aerial Search Optimization Model - SA Blue Force Tracking and Satellite Tool Kit for UAV Coverage

UAV and Nano Sensor Augmented Battlefield Medical Scenarios

UAV IPv6 Video

Video

PelcoNet Video Camera

E-Tag Reader

Cell Phone

IPv6 Medical E-Tag Vista

Mannequin

Casualty Site

OFDM 802.16 Link

LRV

OFDM 802.16 Link

NMS views

IPv6/NPS SA screen/B-TAC health monitor

Network Operations Center

Battlefield Medical Networking: Medical Commander is flying UAV via the SA interface and wireless mesh. Target is casualty. UAV drops-off blood stopping medication (with E. Bourakov)




PelcoNet 300 Homepage (Server Push) - Micros...
File Edit View Favorites Tools Help
Back Search
Address http://192.168.99.217/pushed.htm
Go Links
PelcoNet
PELCO VIDEO TECHNOLOGIES FOR DIGITAL NETWORKS
Video 1 Video 2 Server Push Control Setup
Server Pushed Video
352x288
Applet started
Internet
File Edit View Favorites Tools Help
Back Search Favorites
Address http://192.168.99.212/en/AViewer.html
Go Links
Setting Home Player
2004-01-01 Thu 18:19:14
Internet
CamStudio
My Computer
My Network Places
Internet Explorer
Administrative Tools
Command Prompt
Notepad
Windows Firewall
TNT 08-4 BF Med Screen...
~$T 08-4 BF Med Screen...
~WRL2504....
~WRL0070....

MIO Testbed Segment: SF Bay, East Coast and Overseas

Pacific Ocean

Sea Fox USV

Self-aligning 802.16

802.16

Riverine - Sacramento Delta

Mt. Diablo

LBNL

NPS CENETIX

LLNL

Port of NY/NJ

U.S.C.G. Yerba Buena Island, CA

VPN / SATCOM

Bay / Port

Fort Eustis, VA - Riverine

San Francisco Bay

NSWC Group 4
LMCO Center for Innovation
VA

Austria, Germany, Sweden, Denmark, Greece, UK, Turkey

MIO Tactizens

NPS Team

Networks: ship-to-ship, ship-to-shore

Collaborative Technology

Operations & Command Center

VPN reachback

Unmanned vehicles

Biometrics

LLNL Team

HOPS

Export Control

Radiation Reachback

Plume Modeling

Radiation Sources

Radiation Detection

Ultra-wide band Communication

Explosives Detection

Participating DoD and U.S. Gov't.:

-USSOCOM

-OSD/HD

-Biometric Fusion Center

-NIST

-MARAD

-USCG/D-11

-US Marine Corps

-DOE Radiological Assistance Program

-OFT

-DTRA

Foreign Partners:

National University of Singapore/DSTA

Swedish National Defense College/Swedish Naval Warfare Center

Salzburg Research

University of Bundeswehr at Munich

State and Local Government

Alameda County Sheriff

Oakland Police Dept.

San Francisco Police Dept.

California Office of Emergency Services

Functional Focus of the MIO Testbed Geographically Distributed Teams

- **San Francisco**: *All new sensor, unmanned systems, and networking technology; data sharing and collaboration with USCG and marine police units, multiple small boat interdiction, DoE reachback*
- **Ft. Eustis:** *Riverine operations, data sharing and collaboration with NSW, USSOCOM, Army Divers*
- **PANYNJ:** *Data sharing and collaboration with NY-NJ area Police and FD first responers, interoperability with DHS JSAS*
- **Swedish NWC:** *Wearable sensor and USV swarm, interoperability with BFT*
- **Danish Naval Systematic Center:** *Diver detection in the Port security area, interoperability with NATO Maritime Boarding Systems*
- **University of Bundeswehr:** *Check points in the smuggling routes, tagging and monitoring*
- ***NATO MIO TC in Crete:*** *Expert Center for Small Boat interdictions in Mediterranean and Black Sea*

Example Scenario and Global Partners



Network Diagram: MIO

Sep 7, 2007



Three Boarding Parties simultaneously conducted in the open waters, inner bay, and the Riverine area

TNT MIO Testbed in action providing on-the-move network to multiple boarding parties searching a large cargo ship and reachback to PANYNJ EOC and DoE expert centers.



Simultaneous small craft search in Port of Newark, Sweden, and Denmark and data sharing operations

MIO 08-4 AAR Distribution v.1.pdf - Adobe Acrobat Pro

File Edit View Document Comments Forms Tools Advanced Window Help

Create Combine Collaborate Secure Sign Forms Multimedia Comment

13 / 80 200% Find

Phase II.

8.50 x 11.00 in

Sharing PANYNJ JSAS SA View of NJSP security vessel underway to target vessel drive-by detection



Receiving shared USV drive-by search results in PANYNJ and NPS TOCs: Network controlled USV Piraya in action at Karlskrona, Sweden

View of shared PANYNJ JSAS small vessel interdiction event COP at the TOC in Karlskrona, Sweden

TNT Testbed: Layered interfaces for integrating models, tools, and experimentation procedures

- The TNT *tactizens* can integrate their sensors and mesh networking elements in the unclassified but closed IP space of the TNT testbed by getting fixed IPv4 and lately IPv6 addresses. Figure 10 illustrates the online portal enabling rapid integration of experimental assets in TNT testbed IP space,
- Users can connect their remote local area network, including command and operation centers, via the virtual private network (VPN) client on top satellite or commercial IP cloud services,
- Sensors and unmanned vehicles can be integrated with the TNT Situational Awareness Environment via the applications layer interoperability interface. The current option includes Cursor-on-Target (CoT) integration channel, initially developed at MITRE (Miller, 2004), comprised of the CoT message router and CoT XML adapters for each node needed to be integrated

TNT Testbed: Layered interfaces for integrating models, tools, and experimentation procedures

- In the very near future we will consider adding the Common Alert Protocol (CAP), which is becoming widely used by the DHS community,
- Human layer interface: Operators (both remote and local) can access the testbed collaborative environment via the collaborative portal or peer-to-peer collaborative clients, situational awareness agents, video conferencing room , and video client.
- At the physical level the testbed reaches to even lower levels (like multiple mesh network enabled unmanned systems), which permit researchers to experiment with such things as airborne sensors and cooperative control without having to be concerned about network connectivity.

Plugging IP assets in the TNT Testbed: IP Space Portal (*Designed by Eugene Bourakov*)

Applications Layer Testbed Interface via the CoT channel

(*Diagram provided by Michael Clement*)



Operator interface: video clients and SA View in the Riverine Operations



Mesh network interface enabling cooperative control of UAV and UGV

(*Diagram provided by Michael Clement)*



Layers of Adaptation in TNT Testbed



Physical Layer Adaptation: Self-Aligning Ship-to-Ship and Ship-to-Shore Networking Nodes (with Eugene Bourakov)



Application load adaptation during collaboration with remote experts while in the Riverine chase at high speed

Radiation scan taken by Boarding Vessel #1 and subsequent discussion in Groove shared workspace





Networking Frontier: Self-forming agile adaptive networks Unmanned systems-sensor-decision maker cooperative networks

- **Self-Organizing Mesh Wireless Networks**
  TNT Reports from 2005-2008

- **Network and SA controlled UAVs, USVs, UGVs:** Unmanned vehicle is controlled by submitting the way points via tactical N-LOS mesh network. An ongoing study with Bourakov, Clement, Jones, Dobrokhodov, Kaminer (Clement, et.al., 2009) and (Jones, et. Al., 2009)

- **Network-on-Target:** Peer-to-peer links configured from the top of Common Operational Picture interface, self-aligning directional antennas (Bordetsky & Bourakov,2006)

- **Hyper-Nodes with 8th Layer**: Tactical Self-Forming nodes as miniature network operations centers (Bordetsky & Hayes-Roth, 2007)

- **DMs as sensors to unmanned systems:** Operators decision space MIB available to the unmanned system agents. First results accomplished in the thesis project of LCDR James Gateau**, (**Gateau &Bordetsky, 2008)

- **Networking-by-touch:** Transmitting data via highly adaptive human network by using physical or electronic touch. First results accomplished in thesis of Rideout & Strickland (NPS), continuing research with Bourakov (NPS) Elman (MIT), and Lindeman (WPI):
  (Rideout and Strickland, 2007), (TNT 08-2 QLR), (TNT 08-4 QLR)

Adding Unmanned Systems to MIO Network: Drive-by Search by USV, UAV Relay to the Fast Boat, UGV in the Tunnel

USV provided radiation detection in small-boat drive-by with real-time expert reachback; network-controlled USV & UGV

Networking Frontier: Self-forming agile adaptive networks Unmanned systems-sensor-decision maker cooperative networks:

- **GPS denial navigation :** An ongoing study since 2007 with Bourakov and MIT team (TNT 07-4 QLR, 2007), (TNT 08-2,QLR 2008)
- **Ultra Wideband (UWB) Mesh networking**: Integrating the UWB link into the peer-to-peer wireless mesh network. An ongoing study with Bourakov (NPS), Win and Weymereesh (MIT) (TNT 08-4 QLR 2008)
- **Projectile-based Networking**
  TNT MIO 07-4 After Action Report, 2007
- **Small Distributed Unit Private Tactical Satellite Network**: Study started in 2007, first results accomplished in thesis project of MAJ Conrad and LCDR Tzanos (Conrad and Tzanos, 2008)
- **Small Distributed Unit Private Tactical Cellular Network**: Study with Bourakov started in 2008 (TNT 08-4 QLR, 2008)

Collaboration Frontier: Collaborative Networks for Interagency Data Sharing and Synergy of Social and Information Networking

- **MIO Collaboration:** Bringing the remote expert advice to an immediate support of the boarding officers

  Collaborative networks for rapid interagency data sharing. An ongoing research with Dougan & Dunlop (LLNL), Bourakov, Hutchins, Looney, Clement , Vega , Hudgens, Bergin-NPS; Friman (Swedish Defence Research Agency), Pickl (University of Bundeswehr)): (Bordetsky et al, 2006), (Hutchins, et.al., 2006), (Bordetsky & Friman, 2007), (Bordetsky & Hutchins, 2008),

  Synergy of social and information networking: With Hudgens, Vega, Koons, Bergin, Bekatoros: (Hudgens and Bordetsky, 2008), (TNT MIO 08-4 Report)

- **SA and Collaborative platforms interoperability:** Propagating alerts between NPS SA tools, Port Authority NY-NJ (PANYNJ) Joint Situational Awareness System (JSAS)

  Collaborative networks for rapid interagency data sharing: First results accomplished with Bourakov and Clement (NPS), Reimers (BAE), Poulsen and Cooper (PANYNJ), Lindt (Kokums, Sweden), Hoy-Petersen and Nielsen (Systematik, Denmark): (TNT MIO 08-2 Report, 2008), (TNT MIO 08-4, Report, 2008)

- **Collaboration with Coalitions partners**

  Synergy of social and information networking: SNWC BFT-NPS SA-JSAS (with Hansson & Lindt (Sweden) -Danish MBS-NPS SA-JSAS (with Hoy-Petersen, Nielsen, and Riderring-Systematik, Denmark)

Interagency Collaboration: Cargo Vessel Search by Multiple Boarding Parties in SF Bay Area and Seven Small Craft Drive-by Search

MIO 06-4 Collaborative Network
(Captured by students: Rideout and Dash)



TNT – MIO Scenario
Multi-Level Committee (of Teams) Decision Support (DS) Structure

Multiple DMs with complete participant interaction at multiple levels in the chain of command.

MIO 08-4 Experiment: Collaborative Network Topology

(Captured by students: Masacioglu, De Soto, Chang)



Conclusion: Enabling Business Process of Synergy Development

- Quarterly experiments, supported by student and faculty experimentation services, allow the TNT *tactizens (*vendors, academic, and other government partners) to rapidly adapt their solutions to the TNT environment
- A unique collaborative environment in which the innovation of participants often results in additional unscheduled experimentation using combined technologies.
- The shortest adaptation cycle is 3-4 days of rapid team design during the TNT experiment.
- The next level cycle includes 8-10 weeks of research projects delivering feasibility or constraints analysis experiments.
- The longer adaptation term is in conjunction with dedicated student thesis project (about 6 months).

Conclusion: An Incubator of Tactical Networking and Collaboration Solutions for Vendors

- Quarterly experiments, supported by student and faculty experimentation services, allow the TNT *tactizens (*vendors, academic, and other government partners) to rapidly adapt their solutions to the TNT environment
- A unique collaborative environment in which the innovation of participants often results in additional unscheduled experimentation using combined technologies.
- The shortest adaptation cycle is 3-4 days of rapid team design during the TNT experiment.
- The next level cycle includes 8-10 weeks of research projects delivering feasibility or constraints analysis experiments.
- The longer adaptation term is in conjunction with dedicated student thesis project (about 6 months).

Conclusion: An Incubation Path to Tactical Networking and Collaboration Solution Vendors

- To the business community the TNT testbed research services and interfaces enable discovery and constraints analysis for frequently immature and disintegrated prototypes
- Testbed provides a unique incubation path to the market of emerging tactical operations

Industrial Participation		
Adaptive Flight	I-C Mobilisa	Remote Reality
AGI	iGov Technnologies	Restech
Amrel	ImSAR	Retica
AOptix	IST-Textron	Sarnoff
Applied Signal Technology	L-3 Com	Space Data Corp.
BAE Systems	LMCO	Step Labs
Blackbird Technologies	McLane Adv. Technologies	Strategic Initiatives
CDI	Metson Marine	Swe-Dish
CHI	Mission Technologies	Toyon Research
Commsfirst	Mitre	Trident Tech. Solutions
CrossMatch	Networx	TrellisWare
DRS	NGC	Triggerfinger
ESRI	Orion Networking	WinTech Arrowmaker
Extreme Endeavors	P&LE	XTAR
General Dynamics	Persistent Systems	
Harris RF Comms	Procerus	
Honeywell	QinetiQ	
Hoyos	Redline Communications	

Questions?

abordets@nps.edu

(831) 915-2408